


CABLE DRUMS

 PART NO.	DESCRIPTION	UNIT
400-12	Light duty commercial standard lift, 1/8" cable	Pair
5250-18	Medium duty commercial standard lift, 3/16" cable	Pair
800-384	Heavy duty industrial standard lift, 1/4" cable	Pair
400-54	54" High lift, 1/8" cable	Pair
5250-54	54" High lift, 3/16" cable	Pair
5750-120	120" High lift, 3/16" cable	Pair
D800-120	120" High lift, 1/4" cable	Pair
D6375-164	64" High lift, 1/4" cable	Pair
850-11	11' Vertical lift, 3/16" cable	Pair
1100-18	18' Vertical lift, 3/16" cable	Pair
D1350-336	28' Vertical lift, 1/4" cable	Pair

Standard lift drum:




High lift drum:



Vertical lift drum:




SHAFT

 PART NO.	DESCRIPTION	UNIT
HS1	1" Hollow shaft	Foot
1SK	1" Shaft, square key, 24'	Foot
125SK	1 1/4" Shaft, 1/4" square key, 24'	Foot

1SK, 125SK:



COUPLINGS

 PART NO.	DESCRIPTION	UNIT
CF100	1" Cast iron, adjustable	Each
CF125	1 1/4" Cast iron, adjustable	Each
SC100	1" Solid, 5" long	Each
SC125	1 1/4" Solid, 5" long	Each



CF100 & CF125

▶ Adjustable.




SC100 & SC125:

▶ Non adjustable.

▶ Complete with 3 set screws.

COLLARS


 PART NO.	DESCRIPTION	UNIT
C625	5/8" Collar	Each
C1	1" Collar	Each
C125	1 1/4" Collar	Each



C625/C1 & C125:

▶ Zinc plated.

BEARINGS

 PART NO.	DESCRIPTION	UNIT
C16-32F	1" x 2" Press fit	Each
C16-32FHD	1" x 2" Press fit heavy duty	Each
C20-32F	1 1/4" x 2" Press fit	Each
C20-32FHD	1 1/4" x 2" Press fit heavy duty	Each
C20-40F	1 1/4" x 2 1/2" Press fit	Each
C16-SR	Retainer for above - 1"	Each
C20-SR	Retainer for above - 1 1/4"	Each
B1F	1" Heavy duty w/ flangettes	Each
B125F	1 1/4" Heavy duty w/ flangettes	Each
UCFL205-16	1" Cast football	Each
UCFL206-20	1 1/4" Cast football	Each
UCP205-16	1" Cast bearing pillow block	Each
UCP206-20	1 1/4" Cast bearing pillow block	Each
UCF205-16	1" Cast bearing 4 bolt	Each
UCF206-20	1 1/4" Cast bearing 4 bolt	Each
BRG1X2	1" x 2" Heavy duty bearing	Each
B1.319	1 3/16" Heavy duty bearing	Each
B1.319R	Retainer for above 1 3/16"	Each
B1.25	1 1/4" Flange bearing	Each
B13	1 1/4" Thrust bearing	Each
B1.437F	1 7/16" Cast flange	Each
610	1" Thrust type	Each
619	1 7/16" Thrust type	Each

C16-32F & C20-32F



C16-32FHD & C20-32FHD:



C16-SR & C20-SR



UCFL205-16 & UCFL205-20




UCP205-16 & UCP205-20



UCF205-16 & UCF205-20



PULLIES

 PART NO.	DESCRIPTION	UNIT
3-388	3" Pulley w/ strap	Each
4-380	4" Pulley w/ strap	Each
5-380	5" Stud sheave	Each
5-380HD	5" Heavy duty cast sheave	Each

3-388:



5-380:




5-380HD:

▶ Sealed bearings




CABLE

 PART NO.	SIZE	CABLE (250')	OVALS EACH	STOPS EACH	THIMBLES EACH	CABLE CLAMPS	SPOOLS EACH
..094	3/32	✓	✓	✓	✓		
..125	1/8	✓	✓	✓	✓	✓	✓
..156	5/32	✓	✓	✓			One Size
..188	3/16	✓	✓	✓	✓	✓	
..25	1/4	✓	✓	✓	✓	✓	
..312	5/16					✓	
..375	3/8					✓	
..437	7/16					✓	




The above items are also available in bulk quantities.

CABLE NON ROTATING

 PART NO.	DESCRIPTION	UNIT
AC125SS	1/8" Non-rotating, stainless	Foot
AC188SS	3/16" Non-rotating, stainless	Foot

All pricing and information contained above is subject to change without notice.

KEY STOCK

 PART NO.	DESCRIPTION	UNIT
K25B	1/4" Square, bent	Each
K25S	1/4" Square	Foot
K188	3/16" Square	Foot
K312	5/16" Square	Foot
K312-25	5/16" x 1/4" Step	Foot
K375-25	3/8" x 1/4" Step	Foot
K375-312	3/8" x 5/16" Step	Foot
K5-375	1/2" x 3/8" Step	Foot

K25B:



K25S, K188 & K312:



K312-25, K375-25, K375-312 & K5-375:




ANCHOR PLATES


 PART NO.	DESCRIPTION	UNIT
USA8	Universal	Each




STRUT

 PART NO.	DESCRIPTION	UNIT
S3	3" Standard lengths, 16' only	Each
S16	20 Gauge 18' lengths	Each
S18-20	20 Gauge 20' lengths	Each
S18-22	20 Gauge 22' lengths	Each
S18-24	20 Gauge 24' lengths	Each


TRACK

 PART NO.	DESCRIPTION OTHER SIZES ARE AVAILABLE	UNIT
2" Vertical		
431-1506	Vertical @ 6' 6"	Each
431-1507	Vertical @ 7' 6"	Each
431-1509	Vertical @ 9' 6"	Each
431-1511	Vertical @ 11' 6"	Each
431-1513	Vertical @ 13' 6"	Each
431-1515	Vertical @ 15' 6"	Each
2" Horizontal (16R)		
431-2032/431-2033	Horizontal @ 11' (For 8' Door) RH & LH	Pair
431-2036/431-2037	Horizontal @ 13' (For 10' Door) RH & LH	Pair
431-2040/431-2041	Horizontal @ 15' (For 12' Door) RH & LH	Pair
431-2044/431-2045	Horizontal @ 17' (For 14' Door) RH & LH	Pair
3" Vertical		
431-1606	Vertical @ 6' 6"	Each
431-1607	Vertical @ 7' 6"	Each
431-1609	Vertical @ 9' 6"	Each
431-1611	Vertical @ 11' 6"	Each
431-1613	Vertical @ 13' 6"	Each
431-1615	Vertical @ 15' 6"	Each
3" Horizontal (16R)		
431-3008/431-3009	Horizontal @ 11' (For 8' Door) RH & LH	Pair
431-3012/431-3013	Horizontal @ 13' (For 10' Door) RH & LH	Pair
431-3016/431-3017	Horizontal @ 15' (For 12' Door) RH & LH	Pair
431-3020/431-3021	Horizontal @ 17' (For 14' Door) RH & LH	Pair
Gussets		
7-2366/7	3" Gusset 16" radius	Each

JAMB BRACKETS

 PART NO.	DESCRIPTION	UNIT
111-1466	Track Bracket 4" Long	Each
111-1468	Track Bracket 5 1/4" Long	Each


111-1466:



111-1468:



HINGES

 PART NO.	DESCRIPTION	UNIT
H11-1	# 1 - 11 Gauge	Each
H11-2	# 2 - 11 Gauge	Each
H11-3	# 3 - 11 Gauge	Each
H11-4	# 4 - 11 Gauge	Each
H11-5	# 5 - 11 Gauge	Each
H11-6	# 6 - 11 Gauge	Each
H11-7	# 7 - 11 Gauge	Each
H11-8	# 8 - 11 Gauge	Each
H11-9	# 9 - 11 Gauge	Each
H11-10	# 10 - 11 Gauge	Each
9-2317	Narrow rail - 14 Gauge	Each
AH14	Adjustable - 14 Gauge	Each
FH14	Flat hinge - 14 Gauge	Each
AH14-KB	Knee bracket	Each
61032	Roller holder	Each
TDRH	Truc door roller holder	Each
NRH-SS	Narrow rail stainless - CLO	Each
NRH-SS-1	Narrow rail stainless OHD	Each
HS112	#1 - 12 Gauge stainless	Each
HS212	#2 - 12 Gauge stainless	Each
HS312	#3 - 12 Gauge stainless	Each
HS412	#4 - 12 Gauge stainless	Each
HS512	#5 - 12 Gauge stainless	Each
HS612	#6 - 12 Gauge stainless	Each
HS712	#1 - 12 Gauge stainless	Each
HS812	#1 - 12 Gauge stainless	Each

H11:




NRH-16:



All pricing and information contained above is subject to change without notice.


TOP BRACKETS

 PART NO.	DESCRIPTION	UNIT
TBA	Commercial adj. - 12 gauge	Each
TBSD	Steel door - 12 gauge	Each
TBQC	Quick closing	Each
HTUS	Universal Stainless Steel	Each
TBTD	Truc door	Each
TBLH	Low headroom, 9" incl trolley operator	Pair

TBA:



BOTTOM BRACKETS

 PART NO.	DESCRIPTION	UNIT
BB3-2	2" - 12 gauge	Pair
BB6-2	2" or 3"- 11 gauge	Pair
436-0048	2" R-W Bottom bracket	Pair
7-2361	3" R-W Bottom bracket	Pair
BB6-LHR O/S	2" or 3" Outside hookup - 11 gauge	Pair
ABB-2	2" Adjustable	Pair
ABB-3	3" Adjustable	Pair
SBB-2	2" Safety bottom bracket	Pair
SBB-3	3" Safety bottom bracket	Pair
HBS2U	2" Stainless steel bottom bracket	Pair
HBS2UD	2" Stainless steel bottom bracket double ends	Pair
BBTD	Truc door	Each
TS	Cable tension spring	Pair

SBB-2 & SBB-3:



BB6-2:



ROLLERS

<div style="border: 1px solid black; padding: 2px; display: inline-block;">P/N</div> PART NO.	DESCRIPTION	UNIT
2-4-10	2" Short shaft 4" x 7/16"	Each
2-6-10	2" Long shaft 7" x 7/16"	Each
2-4-10N	2" 10 Ball nylon	Each
2-6-10N	2" High cycle long shaft sealed bearing	Each
3-4	3" Short shaft 4" x 7/16"	Each
3-7	3" Long shaft 7" x 7/16"	Each
3-9	3" Extra long shaft 9" x 7/16"	Each
7-2240	3 1/4" R-W Long shaft	Each
7-2043	3 1/4" R-W Thick shaft 5" x 9/16"	Each
3-11S	3" Heavy duty steel head 11" x 7/16"	Each
3-7P	3" Heavy duty plastic head 7 1/4" x 7/16"	Each
1-TDR	1" Truc door	Each

2-4-10:



2-6-10N:




3-7P:



SIDE LOCK

<div style="border: 1px solid black; padding: 2px; display: inline-block;">P/N</div> PART NO.	DESCRIPTION	UNIT
D80	Side lock	Each
QR	Quick release	Each

D80:



QR:



LIFT HANDLE

<div style="border: 1px solid black; padding: 2px; display: inline-block;">P/N</div> PART NO.	DESCRIPTION	UNIT
LH	16 Gauge rolled grip	Each



STEP PLATE


<div style="border: 1px solid black; padding: 2px; display: inline-block;">P/N</div> PART NO.	DESCRIPTION	UNIT
SP	11 Gauge step plate 1 1/2" x 1 1/2" x 4 1/2"	Each



TRACK GUARDS

<div style="border: 1px solid black; padding: 2px; display: inline-block;">P/N</div> PART NO.	DESCRIPTION	UNIT
TG	6 Gauge track guards	Pair

PERFORATED ANGLE

 PART NO.	DESCRIPTION	UNIT
PA118	13 Gauge galvanized 1" x 1" x 8'	Each

BUMPER SPRINGS

 PART NO.	DESCRIPTION	UNIT
BLSP	Bumper leaf	Pair
BSP	Bumper springs	Pair

BLSP:



BSP:

▶ c/w rubber bumper



PUSHER SPRINGS


 PART NO.	DESCRIPTION	UNIT
PSP	Pusher springs	Pair

PSP:

▶ c/w rubber bumper



EXHAUST PORTS

 PART NO.	DESCRIPTION	UNIT
3EXP	3" Non-insulated	Each
3EXPI	3" Insulated	Each
4EXP	4" Non-insulated	Each
4EXPI	4" Insulated	Each

3EXP & 4EXP:




3EXPI & 4EXPI:



PULL CHAIN ASSEMBLIES

 PART NO.	DESCRIPTION	UNIT
PCA	Chain and spring	Each
BR	Braided rope	Foot

CHAIN HOISTS

 PART NO.	DESCRIPTION	UNIT
2000R	Wall mount	Each
2000RHD	Wall mount heavy duty	Each
JR	Chain drive (slides on shaft)	Each
JRG	Gear drive (slides on shaft)	Each
30-18-5	Hand chain, extra	Foot

**2000R/RHD:**

- ▶ Wall mounting
- ▶ 4:1 reduction (6.6:1 HD)


**JR:**


- ▶ Jack shaft mounting
- ▶ 4:1 chain reduction

**JRG:**


- ▶ Jack shaft mounting
- ▶ 4:1 gear reduction

ROLLER CHAIN

 PART NO.	DESCRIPTION	UNIT
RC43	# 43	Foot
RC41	# 41	Foot
RC40	# 40	Foot
RC50	# 50	Foot
RC60	# 60	Foot



CHAIN LINKS

 PART NO.	DESCRIPTION	UNIT
RCC43	# 43 Connecting link	Each
RCH43	# 43 Half link	Each
RCC41	# 41 Connecting link	Each
RCH41	# 41 Half link	Each
RCC40	# 40 Connecting link	Each
RCH40	# 40 Half link	Each
RCC50	# 50 Connecting link	Each
RCH50	# 50 Half link	Each
RCC60	# 60 Connecting link	Each
RCH60	# 60 Half link	Each

CARRIAGE HOUSE HARDWARE

P/N PART NO.	DESCRIPTION	UNIT
149629	LIFT HANDLE LIS STYLE	Each
173970	LIFT HANDLE CAST SPEAR	Each
157370	LIFT HANDLE STANDARD STYLE	Each
157371	LIFT HANDLE CURVED STYLE	Each
149621	KNOCKER KIT LION STYLE	Each
149622	KNOCKER KIT LIS STYLE	Each
149627	DOOR STUDS	Each
149632	16" HINGE ASSEMBLY	Each
149633	16" HINGE	Each
156872	HINGE LONG	Each
156873	HINGE MEDIUM (24")	Each
156871	HINGE SHORT (16")	Each
159277	HANDLE (KEYED) & HANDLE PLATE	Each
149626	HANDLE LIS STYLE	Set
233-069	SPECIAL RIVET FOR FASTENING DECORATIVE HARDWARE	EACH



Lift Handle LIS Style

149629

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



Lift Handle Curved Style

157371

- ▶ STAMPED STEEL
- ▶ BLACK POWDER COATED WITH CRINKLE FINISH



Knocker Kit LIS Style

149622

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



16" Hinge Assembly

149632

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



Hinges: Short, Medium, Long

156872, 156873 & 156871

- ▶ STAMPED STEEL
- ▶ BLACK POWDER COATED WITH CRINKLE FINISH



Lift Handle Cast Spear Style

173970

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



Lift Handle Standard Style

157370

- ▶ STAMPED STEEL
- ▶ BLACK POWDER COATED WITH CRINKLE FINISH



Knocker Kit Lion Style

149621

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



Door Studs

149627

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



16" Hinge

149633

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED



Handle (Keyed)

159277 (with escutcheon plate)

- ▶ ZINC DIE CAST
- ▶ BLACK POWDER COATED WITH CRINKLE FINISH



Handle LIS Style

149626

- ▶ MALLEABLE IRON
- ▶ BLACK POWDER COATED